


PORTION OF SE 1/4 SEC 10 AND SW 1/4 SEC 11, TWN 26N, RGE 1E, W.M.

- NOTES:

1. PERMANENT STORMWATER DETENTION POND SHALL BE CONSTRUCTED AND USED FOR TEMPORARY SEDIMENT CONTROL. CONTRACTOR SHALL REMOVE ACCUMULATED SEDIMENT PRIOR TO FINAL COMMISSIONING.
2. SEE STANDARD TESC NOTES AND DETAILS ON SHEETS C2.20 AND C2.21.
3. CONTRACTOR SHALL PROVIDE SIGNAGE, FENCING, AND SITE SECURITY AS NECESSARY TO PREVENT UNAUTHORIZED ACCESS TO THE SITE.
4. LOCATION OF EXISTING SEPTIC SYSTEMS SHALL BE IDENTIFIED IN THE FIELD AND DECOMMISSIONED PER DOH REQUIREMENTS.
5. NO SEDIMENT LADEN WATER SHALL BE PERMITTED TO LEAVE THE SITE. CONTRACTOR SHALL MONITOR AND CONFIRM STORMWATER DISCHARGE MEETS KITSAP COUNTY AND ECOLOGY DISCHARGE REQUIREMENTS.
6. CATCH BASINS SHOWN ARE PROPOSED. CONTRACTOR SHALL INSTALL CATCH BASIN PROTECTION IMMEDIATELY AFTER CONSTRUCTION AND INSTALLATION OF NEW CATCH BASINS.
7. PUMP AND FORCE MAIN TO BE SIZED AND PROVIDED BY THE CONTRACTOR AS NECESSARY.
8. SILT FENCE ALONG TREE PROTECTION EASEMENT SHALL BE INSTALLED ALONG THE WEST EDGE OF THE EASEMENT. INSPECTION OF CLEARING LIMITS IN THIS AREA SHALL BE CONDUCTED BY THE PROJECT BIOLOGIST PRIOR TO INSTALLATION OF THE SILT FENCE.
9. CONTRACTOR SHALL COORDINATE WITH PROJECT BIOLOGIST FOR SUPERVISION OF LIMITS OF CONSTRUCTION IN RELATION TO WETLAND BUFFER NORTHEAST OF THE PROPOSED POND. CONTRACTOR SHALL INSTALL ORANGE CONSTRUCTION FENCING AND WETLAND SIGNAGE ALONG EDGE OF WETLAND BUFFER.
10. CONTRACTOR SHALL INSTALL TEMPORARY INTERCEPTOR SWALES WHERE WALLS ARE PROPOSED AND SHALL SUPPLEMENT AS NEEDED WITH STRAW BATTLES.
11. REFER TO LANDSCAPE PLANS FOR TREE PROTECTION AND TREE REMOVAL.
12. WORK WITHIN DRIP LINE OF ANY TREES TO BE THE PROTECTED AND REMAIN SHALL BE PERFORMED UNDER THE SUPERVISION OF THE PROJECT ARBORIST.

LEGEND

- | | |
|--|----------------------------------|
| | PROPERTY LINE/ROW |
| | LIMITS OF DISTURBANCE |
| | PHASE LINE |
| | CONSTRUCTION ENTRANCE |
| | SILT FENCE |
| | CATCH BASIN INLET PROTECTION |
| | TEMPORARY CULVERT |
| | 4" PERFORATED PIPE |
| | ROCK ARMORING OUTFALL PROTECTION |
| | PUMP |
| | FORCE MAIN |
| | EXISTING ELEVATION CONTOUR |
| | PROPOSED ELEVATION CONTOUR |
| | CRITICAL AREA BUFFER/SETBACK |
| | CONSTRUCTION RUN-OFF LIMIT |



| | | | | | |
|-----|------|----|------|-------|----------|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| NO. | DATE | BY | CHD. | APPR. | REVISION |

| | |
|---------------------|--------------------|
| DRAWN BY KSA/TAD | DESIGNED BY JRN |
| CHECKED BY JRN | APPROVED BY JSF |
| DATE DATE | |
| J O B No. :2000329 | |

CALL TWO BUSINESS
DAYS BEFORE YOU DIG
1-800-424-5555

SCALE:
AS NOTED

kpff

1601 5th Avenue, Suite 1600
Seattle, WA 98101
206.622.5822
www.kpff.com



09/13/202

OSLO BAY APARTMENTS
POULSBORO, WASHINGTON
















TESC PLAN OVERVIEW


SHEET

C2.03

A key map showing the study area (hatched area) in relation to the surrounding urban area. The map includes a north arrow pointing upwards.

LEGEND

- | | |
|---|----------------------------------|
|  | PROPERTY LINE/ROW |
|  | LIMITS OF DISTURBANCE |
|  | CONSTRUCTION ENTRANCE |
|  | SILT FENCE |
|  | TEMPORARY INTERCEPTOR SWALE |
|  | CHECK DAM |
|  | CATCH BASIN INLET PROTECTION |
|  | TEMPORARY CULVERT |
|  | ROCK ARMORING OUTFALL PROTECTION |
|  | PUMP |
|  | FORCE MAIN |
|  | EXISTING ELEVATION CONTOUR |
|  | PROPOSED ELEVATION CONTOUR |
|  | CRITICAL AREA BUFFER/SETBACK |
|  | PROPOSED RETAINING WALL |



| | | | | | |
|-----|------|----|------|-------|----------|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| NO. | DATE | BY | CHD. | APPR. | REVISION |

| | |
|---------------------|--------------------|
| DRAWN BY KSA/TAD | DESIGNED BY JRN |
| CHECKED BY JRN | APPROVED BY JSF |
| DATE | |
| DATE | |
| J O B No. : 2000329 | |

CALL TWO BUSINESS
DAYS BEFORE YOU DIG
1-800-424-5555

SCALE:
AS NOTED

kpff

1601 5th Avenue, Suite 1600
Seattle, WA 98101
206.622.5822
www.kpff.com




OSLO BAY APARTMENTS
POULSBORO, WASHINGTON

TESC PLAN

SHEET

C2.10

PORTION OF SE 1/4 SEC 10 AND SW 1/4 SEC 11, T26N, R1E, W1M.



2:\300001-300099\300039 Oslo Bay\CD\Drawings\ENGINEERING\C2.11 TESC.dwg

Sep 13, 2021 2:23pm JmW

| NO. | DATE | BY | CHD. | APPR. | REVISION |
|-----|------|----|------|-------|----------|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| | |
|---------------------|--------------------|
| DRAWN BY KSA/TAD | DESIGNED BY JRN |
| CHECKED BY JRN | APPROVED BY JSF |
| DATE | DATE |
| J O B No.: 2000329 | |

CALL TWO BUSINESS DAYS BEFORE YOU DIG
1-800-424-5555

SCALE:
AS NOTED

kpff


1600 5th Avenue, Suite 1600
Seattle, WA 98101
206.622.5822
www.kpff.com



| | |
|--|--|
| OSLO BAY APARTMENTS POULSBORO, WASHINGTON | |
| TESC PLAN | |

| |
|-------|
| SHEET |
| C2.11 |


PORTION OF SE 1/4 SEC 10 AND SW 1/4 SEC 11, T26N, R1E, W1M.



SEE SHEET C2.01 FOR NOTES

LEGEND

- PROPERTY LINE/ROW
- LIMITS OF DISTURBANCE
- CONSTRUCTION ENTRANCE
- SILT FENCE
- TEMPORARY INTERCEPTOR SWALE
- CHECK DAM
- CATCH BASIN INLET PROTECTION
- TEMPORARY CULVERT
- ROCK ARMORING OUTFALL PROTECTION
- PUMP
- FORCE MAIN
- EXISTING ELEVATION CONTOUR
- PROPOSED ELEVATION CONTOUR
- CRITICAL AREA BUFFER/SETBACK
- PROPOSED RETAINING WALL



2:\300001-300009\300019.dwg Rev C2.01 (Design) (2/10/2021) 08:10:08 TESC.dwg

Sep 13, 2021 2:23pm Jmvp

| NO. | DATE | BY | CHD. | APPR. | REVISION |
|-----|------|----|------|-------|----------|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| | |
|---------------------|--------------------|
| DRAWN BY KSA/TAD | DESIGNED BY JRN |
| CHECKED BY JRN | APPROVED BY JSF |
| DATE | DATE |
| J O B No. :2000329 | |

CALL TWO BUSINESS
DAYS BEFORE YOU DIG
1-800-424-5555

SCALE:
AS NOTED

kpff
1600 5th Avenue, Suite 1600
Seattle, WA 98101
206.622.5822
www.kpff.com



OSLO BAY APARTMENTS
POULSBORO, WASHINGTON


TESC PLAN

SHEET

C2.12


SEE SHEET C2.11 FOR CONTINUATION

SEE SHEET C2.13 FOR CONTINUATION



SEE SHEET C2.01 FOR NOTES

LEGEND



SEE SHEET C2.15 FOR CONTINUATION

SEE SHEET C2.16 FOR CONTINUATION

| | | | | | |
|-----|------|----|------|-------|----------|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| NO. | DATE | BY | CHD. | APPR. | REVISION |

| | |
|---------------------|--------------------|
| DRAWN BY KSA/TAD | DESIGNED BY JRN |
| CHECKED BY JRN | APPROVED BY JSF |

DATE
DATE
No. : 2000329

CALL TWO BUSINESS
DAYS BEFORE YOU DIG
1-800-424-5555

SCALE
AS NOTED

kpff

1601 5th Avenue, Suite 1600
Seattle, WA 98101
206.622.5822
www.kpff.com




OSLO BAY APARTMENTS
POULSBORO, WASHINGTON

TESC PLAN

SHEET

C2.13

SEE SHEET C2.12 FOR CONTINUATION



| | |
|---|----------------------------------|
|  | PROPERTY LINE/ROW |
|  | LIMITS OF DISTURBANCE |
|  | CONSTRUCTION ENTRANCE |
|  | SILT FENCE |
|  | TEMPORARY INTERCEPT SWALE |
|  | CHECK DAM |
|  | CATCH BASIN INLET PROTECTION |
|  | TEMPORARY CULVERT |
|  | ROCK ARMORING OUTFALL PROTECTION |
|  | PUMP |
|  | FORCE MAIN |
|  | EXISTING ELEVATION CONTOUR |
|  | PROPOSED ELEVATION CONTOUR |
|  | CRITICAL AREA BUFFER/SETBACK |
|  | PROPOSED RETAINING WALL |



SEE SHEET C2.13 FOR CONTINUATION

SEE SHEET C2.16 FOR CONTINUATION

SEE SHEET C2.72 FOR CONTINUATION

| | | | | | |
|-----|------|----|------|-------|----------|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| NO. | DATE | BY | CHD. | APPR. | REVISION |

| | |
|---------------------|--------------------|
| DRAWN BY KSA/TAD | DESIGNED BY JRN |
| CHECKED BY JRN | APPROVED BY JSF |

DATE _____
DATE _____

J O B No. :2000329

CALL TWO BUSINESS
DAYS BEFORE YOU DIG
1-800-424-5555

SCALE
AS NOTED

kpff

1601 5th Avenue, Suite 1600
Seattle, WA 98101
206.622.5822
www.kpff.com




OSLO BAY APARTMENTS
POULSBORO, WASHINGTON

TESC PLAN

SHEET

C2.14

PORTION OF SE 1/4 SEC 10 AND SW 1/4 SEC 11, T26N, R1E, W1M.




SEE SHEET C2.01 FOR NOTES

LEGEND

- PROPERTY LINE/ROW
- - - LIMITS OF DISTURBANCE
- ▨ CONSTRUCTION ENTRANCE
- × × × SILT FENCE
- · - · - TEMPORARY INTERCEPTOR SWALE
- ▲ CHECK DAM
- CATCH BASIN INLET PROTECTION
- · - · - TEMPORARY CULVERT
- ⊙ ROCK ARMORING OUTFALL PROTECTION
- ⊙ PUMP
- FM FORCE MAIN
- 270 - EXISTING ELEVATION CONTOUR
- 270 - PROPOSED ELEVATION CONTOUR
- 268 - CRITICAL AREA BUFFER/SETBACK
- - - PROPOSED RETAINING WALL

CONTRACTOR SHALL DISCHARGE SEDIMENT POND AT THE TOP OF THE EXISTING STREAM WETLAND. INSTALL A ROCK DISPERSION PAD AT THE OUTFALL. CONTRACTOR SHALL CONFIRM LOCATION, SIZE AND TYPE OF DISPERSION PAD WITH THE PROJECT GEOTECHNICAL ENGINEER, CIVIL ENGINEER AND WETLAND BIOLOGIST PRIOR TO CONSTRUCTION. CONTRACTOR SHALL TAKE PRECAUTION NOT TO DISTURB EXISTING STEEP SLOPES, WETLAND OR STREAM

0 15' 30' 60'
1 inch = 30 feet



21/000001-000000/000000 Date: 09/13/2021 (Design) (Drawing) (C2.15) TESC.dwg

09/13/2021 2:21 pm JWS

| NO. | DATE | BY | CHKD. | APPR. | REVISION |
|-----|------|----|-------|-------|----------|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

DRAWN BY
KSA/TAD
CHECKED BY
JRN
DESIGNED BY
JRN
APPROVED BY
JSF
DATE
DATE
J O B No. : 2000329

CALL TWO BUSINESS
DAYS BEFORE YOU DIG
1-800-424-5555
SCALE:
AS NOTED

kpff
1603 5th Avenue, Suite 1600
Seattle, WA 98101
206.622.5822
www.kpff.com



OSLO BAY APARTMENTS
POULSBORO, WASHINGTON


TESC PLAN

SHEET
C2.15

PORTION OF SE 1/4 SEC 10 AND SW 1/4 SEC 11, TWN 26N, RGE 1E, W.M.
















SEE SHEET C2.13 FOR CONTINUAITON

SEE SHEET C2.14 FOR CONTINUAITON



SEE SHEET C2.01 FOR NOTES

LEGEND

- | | |
|---|----------------------------------|
|  | PROPERTY LINE/ROW |
|  | LIMITS OF DISTURBANCE |
|  | CONSTRUCTION ENTRANCE |
|  | SILT FENCE |
|  | TEMPORARY INTERCEPTOR SWALE |
|  | CHECK DAM |
|  | CATCH BASIN INLET PROTECTION |
|  | TEMPORARY CULVERT |
|  | ROCK ARMORING OUTFALL PROTECTION |
|  | PUMP |
|  | FORCE MAIN |
|  | EXISTING ELEVATION CONTOUR |
|  | PROPOSED ELEVATION CONTOUR |
|  | CRITICAL AREA BUFFER/SETBACK |
|  | PROPOSED RETAINING WALL |

SEE SHEET C2.15 FOR CONTINUATION

SEE SHEET C2.17 FOR CONTINUATION

PHASE 2 GRADING TEMPORARY
SEDIMENT POND ROCK SPLASH
PAD OUTFALL

PROTECT EXISTING
TREE TO REMAIN
(TYP)

Portion of Vector

[illegible]

| | |
|---------------------|--------------------|
| DRAWN BY KSA/TAD | DESIGNED BY JRN |
| CHECKED BY JRN | APPROVED BY JSF |

DATE
DATE

J O B No. :2000329

CALL TWO BUSINESS
DAYS BEFORE YOU DIG
1-800-424-5555

SCALE
AS NOTED

kpff

1601 5th Avenue, Suite 1600
Seattle, WA 98101
206.622.5822
www.kpff.com



OSLO BAY APARTMENTS
POULSBORO, WASHINGTON

TESC PLAN



SHEET

C2.16

C:\2000001-2009999\2000129 Out Boy\CADD\Design\ENGINEERING\C2.10 OB TESC.dwg

Sep 13, 2021 - 2:31pm Jone1P

PORTION OF SE 1/4 SEC 10 AND SW 1/4 SEC 11, T26N, R1E, W1M.
SEE SHEET C2.14 FOR CONTINUATION



SEE SHEET C2.01 FOR NOTES

LEGEND

- PROPERTY LINE/ROW
- LIMITS OF DISTURBANCE
- CONSTRUCTION ENTRANCE
- SILT FENCE
- TEMPORARY INTERCEPTOR SWALE
- CHECK DAM
- CATCH BASIN INLET PROTECTION
- TEMPORARY CULVERT
- ROCK ARMORING OUTFALL PROTECTION
- PUMP
- FORCE MAIN
- EXISTING ELEVATION CONTOUR
- PROPOSED ELEVATION CONTOUR
- CRITICAL AREA BUFFER/SETBACK
- PROPOSED RETAINING WALL



23/000001-000000/000000 Date: 09/13/2021 2:21pm User: JRN

| NO. | DATE | BY | CHKD. | APPR. | REVISION |
|-----|------|----|-------|-------|----------|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

DRAWN BY
KSA/TAD
CHECKED BY
JRN
DESIGNED BY
JRN
APPROVED BY
JSF
DATE
DATE
J O B No.: 2000329

CALL TWO BUSINESS
DAYS BEFORE YOU DIG
1-800-424-5555
SCALE:
AS NOTED

kpff
1603 5th Avenue, Suite 1600
Seattle, WA 98101
206.622.5822
www.kpff.com



OSLO BAY APARTMENTS
POULSBORO, WASHINGTON

TESC PLAN

SHEET

C2.17

JOINTS IN FILTER FABRIC SHALL BE SPLICED AT POSTS. USE STAPLES, WIRE RINGS, OR EQUIVALENT TO ATTACH FABRIC TO POSTS.

2"x2"x14 GA. WIRE OR EQUIVALENT, IF STANDARD STRENGTH FABRIC USED

12" MIN.

24" MIN.

12" MIN.

PROJECT SITE

MINIMUM 4"x4" TRENCH

BACKFILL TRENCH WITH NATIVE SOIL OR 3/4" - 1.5" WASHED GRAVEL

6" MAX. POST SPACING MAY BE INCREASED TO 8' IF WIRE BACKING IS USED


2"x4" WOOD POSTS, STEEL FENCE POSTS, REBAR, OR EQUIVALENT

ATTACH ORANGE CONSTRUCTION FENCE WHERE INDICATED ON PLAN

NOTE: FILTER FABRIC FENCES SHALL BE INSTALLED ALONG CONTOUR WHENEVER POSSIBLE.

MAINTENANCE STANDARDS


1. ANY DAMAGE SHALL BE REPAIRED IMMEDIATELY.
2. IF CONCENTRATED FLOWS ARE EVIDENT UPHILL OF THE FENCE, THEY MUST BE INTERCEPTED AND CONVEYED TO A SEDIMENT TRAP OR POND.
3. IT IS IMPORTANT TO CHECK THE UPHILL SIDE OF THE FENCE FOR SIGNS OF THE FENCE CLOGGING AND ACTING AS A BARRIER TO FLOW AND THEN CAUSING CHANNELIZATION OF FLOWS PARALLEL TO THE FENCE. THIS OCCURS, REPLACE THE FENCE OR REMOVE THE TRAPPED SEDIMENT.
4. SEDIMENT MUST BE REMOVED WHEN THE SEDIMENT IS 6" HIGH.
5. IF THE FILTER FABRIC HAS DETERIORATED DUE TO ULTRAVIOLET BREAKDOWN OR OTHER, IT SHALL BE REPLACED.




NTS



NTS



NTS

NT⁹

| | | | | | |
|-----|------|----|------|-------|----------|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| NO. | DATE | BY | CHD. | APPR. | REVISION |

CALL TWO BUSINESS
DAYS BEFORE YOU DIG
1-800-424-5555

SCALE:
AS NOTED

1601 5th Avenue, Suite 1600
Seattle, WA 98101
206.622.5822
www.kpff.com



TESC DETAILS

C2.20

C:\2000001-2009999\2000.129 046 Boy\CAD\Design\ENGINEERING\G2.20 TESC DTLS.dwg

Sep 13, 2021 - 2:31pm JanetP



- NOTES:**
1. POND MAY BE FORMED BY BERM OR BY PARTIAL OR COMPLETE EXCAVATION.
 2. THE PROJECT GEOTECHNICAL ENGINEER SHALL OBSERVE AND APPROVE POND EMBANKMENT CONSTRUCTION.

[illegible]

EROSION CONTROL BLANKET

C2.21